

Solitrode with Pt1000 (fixed cable 1.2 m)

6.0228.000

Combined pH electrode with integrated Pt1000 temperature sensor and fixed cable (1.2 m). This electrode is suitable for routine pH measurements in solutions that do not contain precipitates, proteins, or sulfides. This electrode is mechanically resistant thanks to the robust/unbreakable plastic shaft made of polypropylene and impact protection for the glass membrane.

Reference electrolyte: c(KCI) = 3 mol/L, storage in storage solution.

Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

Scope of delivery 6.0228.000

|--|



Sleeve with SGJ 14/12 mm, polyethylene.



1 PCS

6.2008.040


Storage vessel

Together with 6.2008.050 storage vessel holder. it provides a support for the electrode on 807 Dosing Units.



Optional accessories

Order no.	Description	
6.2308.020	Electrolyte 3 mol/L KCl (250 mL)	
	Electrolyte solution $c(KCI) = 3 \text{ mol/L}$, (for Ag/AgCl reference systems)	
		The second of th
6.2323.000	Storage solution	
	Storage solution for all combined pH glass electrodes with reference electrolyte $c(KCI) = 3 \text{ mol/L}$	
		The second of th



pHit kit

Maintenance kit for pH electrodes

The kit contains:

- 50 mL cleaning solution
- 50 mL 3M KCl solution
- 50 mL storage solution
- 2 Storage vessels
- Instructions for use





Reliable measuring results over long periods of time can be guaranteed only if the pH glass membrane and the diaphragm receive preventive and regular care. Cleaning by etching with toxic chemicals or applying mechanical treatment to the diaphragm is not only complicated and expensive, it also accelerates the ageing of the pH glass electrode. The cleaning solution was developed for easy and gentle cleaning of pH glass electrodes. Regular use can considerably prolong their service life.



This cleaning solution is also part of the pHit kit.