



# Metrosep A Supp 5 - 250/2.0

6.1006.230

The Metrosep A Supp 5 - 250/2.0 is the microbore high-performance separation column with which even complex separation problems can be solved easily and reproducibly. The range of applications possible with this column far exceeds the detection of standard anions. The Metrosep A Supp 5 - 250/2.0 is used wherever maximum separating efficiency must be combined with both the lowest of detection limits and low eluent consumption.

With its low eluent flow, this column is particularly suitable for IC-MS coupling.

Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

## Optional accessories

Order no.	Description
-----------	-------------

The Metrosep A Supp 5 Guard/2.0 reliably protects the 2 mm versions of the Metrosep A Supp 5 and Metrosep A Supp 7 IC anion columns against contamination from the sample or eluent.

It contains the same separation material as the Metrosep A Supp 5, is also made of PEEK, and is screwed directly onto the respective separation column with virtually no dead volume ("On Column Guard System"). The guard column prolongs the service life of the analytical column, with practically no influence on its chromatographic separating efficiency. The economical price and simple handling make using the A Supp 5 Guard/2.0 highly recommended.



The Metrosep A Supp 5 S-Guard/2.0 reliably protects the 2 mm versions of the Metrosep A Supp 5 and Metrosep A Supp 7 IC anion columns against contamination from the sample or eluent.

It contains the same separation material as the Metrosep A Supp 5, is also made of PEEK, and is connected directly onto the respective separation column via capillary connection. The guard column prolongs the service life of the analytical column, with practically no influence on its chromatographic separating efficiency. The economical price and simple handling make using the A Supp 5 S-Guard/2.0 highly recommended.

